

In the Claims

1. A method of selecting a grout color comprising providing at least one partially transparent card having a first color band,
placing said card over an array of tiles with said first color band generally positioned between at least two said tiles, and
visually comparing said first color band and said tile color to facilitate selecting a grout color.
2. The method of claim 1 including grout disposed between adjacent said tiles of said array.
3. The method of claim 2 including providing a plurality of said transparent cards, and sequentially comparing more than one said card with said tile in selecting said grout color.
4. The method of claim 3 including providing color identifying indicia on said card.
5. The method of claim 1 including providing a second color band intersecting said first color band at a predetermined angle.
6. The method of claim 5 including said angle being about ninety degrees.
7. The method of claim 5 including said first and second color bands having a width of about $1/32$ to $3/4$ inch.
8. The method of claim 5 including employing said method on floor tile.
9. The method of claim 5 including employing said method on a display tile array.
10. The method of claim 8 including employing said method on tiles which are generally square.

11. The method of claim 5 including
employing transparent resinous plastic cards having said first and
second color bands applied on a surface thereof.
12. The method of claim 5 including
employing as said cards, cards having a length of about 1 to 14 inch.
13. The method of claim 5 including
employing as said cards, cards having a width of about 1 to 14 inch.
14. The method of claim 5 including
employing as said cards, cards having a thickness of about 0.001 to $\frac{1}{4}$
inch.
15. The method of claim 2 including
viewing the color of said tile at least partially through said cards.
16. The method of claim 5 including
employing said first and second color bands in a width generally
approximating the width of the grout between said tiles.
17. A plurality of grout color selecting cards comprising
said cards having transparent portions for viewing tile therethrough,
said cards having a first color band having a width generally similar to
grout width, and
a second color band angularly disposed with respect to said first color
band having a width generally similar to grout width.
18. The grout selecting cards of claim 17 including
said first color band being oriented generally perpendicular to said
second color band.
19. The grout selecting cards of claim 17 including
color identifying indicia on said cards.
20. The grout selecting cards of claim 17 including
said first and second color bands each having a width of about $\frac{1}{32}$ to
 $\frac{3}{4}$ inch.

21. The grout selecting cards of claim 20 including
said cards having a length of about 1 to 14 inch and a width of about 1
to 14 inch.
22. The grout selecting cards of claim 17 including
said first color band being at an angle with respect to said color band of about
1 to 179 degrees.
23. The grout selecting cards of claim 17 including
said first color band being generally coextensive with the length of said card
and said second color band being generally coextensive with the width of said card.
24. The grout selecting cards of claim 17 including
said cards being composed of a transparent plastic material.
25. The grout selecting cards of claim 24 including
said card thickness being about 0.001 to 1/4 inch.
26. The grout selecting cards of claim 17 including
said first and second color bands of a given said card being of the same
color.